

Decacide - General Information:

An anthelmintic used primarily as the citrate in the treatment of filariasis, particularly infestations with *Wuchereria bancrofti* or *Loa loa*. [PubChem]

Pharmacology:

Decacide is an anthelmintic drug that does not resemble other antiparasitic compounds. It is a synthetic organic compound which is highly specific for several parasites and does not contain any toxic metallic elements. Decacide continues to be the mainstay for treatment of patients with lymphatic filariasis and loiasis.

Additional information about Decacide

Decacide Indication: Used for the treatment of individual patients with certain filarial diseases including tropical pulmonary eosinophilia, loiasis, and lymphatic filariasis caused by infection with *Wuchereria bancrofti*, *Brugia malayi*, or *Brugia timori*.

Mechanism Of Action: The mechanism of action of diethylcarbamazine is thought to involve sensitizing the microfilariae to phagocytosis. One study showed that diethylcarbamazine's activity against *Brugia malayi* microfilariae is dependent on inducible nitric-oxide synthase and the cyclooxygenase pathway. It confirmed the important role of the arachidonic acid metabolic pathway in diethylcarbamazine's mechanism of action *in vivo* and shows that in addition to its effects on the 5-lipoxygenase pathway, it targets the cyclooxygenase pathway and COX-1.

Drug Interactions: Not Available

Food Interactions: Not Available

Generic Name: Diethylcarbamazine

Synonyms: Diethyl carbamazine; Ethodryl; Ditrazine base; Carbamazine; Carbilazine

Drug Category: Anthelmintics; Filaricides; Lipoxygenase Inhibitors

Drug Type: Small Molecule; Approved

Other Brand Names containing

Diethylcarbamazine: Banocide; Bitirazine; Caracide; Caricide; Cypip; Hetrazan; Notezine; Spat onin; Decacide;

Absorption: Readily absorbed following oral administration.

Toxicity (Overdose): Oral LD₅₀ in rat and mouse is 1400 mg/kg and 660 mg/kg, respectively.

Protein Binding: Not Available

Biotransformation: Partially metabolized to diethylcarbamazine N-oxide.

Half Life: Approximately 8 hours.

Dosage Forms of Decacide: Not Available

Chemical IUPAC Name: N,N-diethyl-4-methylpiperazine-1-carboxamide

Chemical Formula: C₁₀H₂₁N₃O

Diethylcarbamazine on Wikipedia: <http://en.wikipedia.org/wiki/Diethylcarbamazine>

Organisms Affected: Humans and other mammals; Parasitic nematodes and other roundworms